

IMAGO

ONE SOLUTION

MANY POSSIBILITIES



ISK-15 / 19 / 22



RFID readers support



2D readers support



Steel construction



Two touch technologies



Accessories available

www.imago-systems.com


IMAGO

ISK-15/19/22

Imago ISK PC panels are versatile devices dedicated primarily to the manufacturing industry. They are available in three models with screen sizes of 15", 18.5" or 21.5", supporting (a choice of) two touch technologies – capacitive or resistive, guaranteeing optimal performance in a variety of conditions. Thanks to the availability of specialized accessories and their flexible configuration, the panel can be precisely adapted

to the specific conditions of practically any working environment.

The robust, powder-coated steel housing ensures high protection and reliability, even in tough industrial environments. With a wide operating temperature range of 0°C to 50°C, the ISK panels are the ideal solution for those looking for a durable and effective tool for managing operational processes.



TECHNICAL SPECIFICATIONS

Model	PC ISK panel	Installation	VESA 100x100
Processor	Intel® N97 Intel® Core™ i3-10110U Intel® Core™ i5-10210U	Working temperature	0°C – ~50°C (32°F – ~122°F)
RAM	max. 32GB DDR4 RAM	Cooling	passive
Hard Drive	128GB SSD, 256GB SSD, 512GB SSD	Ethernet	Intel® i3/i5 – 2 x LAN Intel® N97 – 1 x LAN
Screen diagonal	15"(4:3) or 18,5" FHD or 21,5" FHD	Graphics Card	integrated on board
Resolution	1024 x 768 (4:3), 1920 x 1080 FHD	Sound card	optional
Brightness	15" – 500 cd/m ² 18.5" – 350 cd/m ² 21.5" – 500 cd/m ²	I/O ports	2 x USB 3.0, 4 x USB 2.0, 2 x LAN, 1 x RS232 (2 x RS232 option), 1 x HDMI, 1 x VGA, 1 x MIC, 1 x SPK
Contrast	1000:1	Power supply	12V DC
Viewing angle	89° (left), 89° (right) 89° (top), 89° (bottom)	Warranty	24 months
Overlay type	10 points – capacitive / resistive	Operating system	Linux, Windows 10, Windows 11
Overlay hardness	6H	Accessories	Intel WiFi module (802.11 ac), Bluetooth, Zebra MS4717 series 2D barcode reader, RFID proximity card reader – Mifare/NFC 13.56 MHz, RFID proximity card reader – Uniq 125 kHz
Case	powder-coated steel, with increased tightness		



Exclusive distributor:
phone: +48 22 512 79 00, e-mail: koncept@koncept-l.pl
KONCEPT-L.PL